File View Edit Tools Window Help

- Drafts
- Pending
- Active
  - L1: (121522) disk adj1 drive
  - L2: (29501) sam or ("servo address mark")
  - L3: (737936) dropout or error
  - L4: (242) 2 with 3
  - L5: (749892) parameter
  - L6: (36) 1 and 4 and 5
- Failed
- Saved

Default operator: OR

1 and 4 and 5

#	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P			
1	☑	☐	US 20050013031	20050120	29	Systems for searching for SAM patterns at mul	360/51	360/29; 360/48		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
2	☑	☐	US 20050013030	20050120		Methods for searching for SAM patterns at mul	360/51			Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
3	☑	☐	US 20050013027	20050120		Methods for searching for SAM patterns using	360/29	360/48		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
4	☑	☐	US 20050013026	20050120		Servo demodulator systems including multi	360/29	360/48		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
5	☑	☐	US 20030112539	20030619		Method of interleaving servo information field	360/48	360/77.04; 360/77.08		Shu, Andrew B.	☐	☐	☐	☐	☐	☐
6	☑	☐	US 20030046238	20030306		Data processing apparatus, data process	705/51	380/282; 705/59;		Nonaka, Akira et al.	☐	☐	☐	☐	☐	☐
7	☑	☐	US 20030012303	20030116		Method and apparatus for optimizing a PRML d	375/316			Dati, Angelo et al.	☐	☐	☐	☐	☐	☐
8	☑	☐	US 20020067563	20020606		Position sensing system for a disc drive using	360/53	360/48; 360/77.08;		Belser, Karl Arnold	☐	☐	☐	☐	☐	☐
9	☑	☐	US 20020042900	20020411		RECORDING MEDIUM FAILURE ANALYSIS APPARA	714/795			SCHACHNER, JOSEPH M. et al.	☐	☐	☐	☐	☐	☐
10	☑	☐	US 20020003676	20020110		System and method for implementing a rotary m	360/53	360/31; 360/75;		Tokizono, Akira et al.	☐	☐	☐	☐	☐	☐
11	☑	☐	US 20010021075	20010913		Method for controlling servo information detec	360/51	360/77.08		Kitazaki, Nobuyuki et al.	☐	☐	☐	☐	☐	☐
12	☑	☐	US 6798594 B2	20040928		Position sensing system for a disc drive using	360/53	324/210; 324/212;		Belser; Karl Arnold	☐	☐	☐	☐	☐	☐
13	☑	☐	US 6765748 B2	20040720		Method of interleaving servo information field	360/77.04	360/53; 360/77.05;		Shu; Andrew B.	☐	☐	☐	☐	☐	☐
14	☑	☐	US 6754025 B1	20040622		Disk drive spindle motor speed and timing	360/73.03	360/51; 360/77.08		Shepherd; Stanley H. et al.	☐	☐	☐	☐	☐	☐
15	☑	☐	US 6754019 B2	20040622		System and method for implementing a rotary m	360/53	360/31; 360/49;		Tokizono; Akira et al.	☐	☐	☐	☐	☐	☐
16	☑	☐	US 6738205 B1	20040518		Self-writing of servo patterns in disk drives	360/17	360/75		Moran; Patrick et al.	☐	☐	☐	☐	☐	☐
17	☑	☐	US 6574611 B1	20030603		Information processing apparatus and method i	705/57	380/30; 713/187;		Matsuyama; Shinako et al.	☐	☐	☐	☐	☐	☐
18	☑	☐	US 6532122 B1	20030311		Data storage apparatus and magnetic recording	360/46	360/40; 360/65		Sugawara; Takao et al.	☐	☐	☐	☐	☐	☐
19			US 6519104	20030211		Computer system	360/51	360/46;		Cloke; Robert L.	☐	☐	☐	☐	☐	☐

Ready

File View Edit Tools Window Help

Drafts

#	I	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P				
13	☑	☐	US 6765748 B2	20040720		Method of interleaving servo information field	360/77.04	360/53; 360/77.05;		Shu; Andrew B.	☐	☐	☐	☐	☐	☐
14	☑	☐	US 6754025 B1	20040622		Disk drive spindle motor speed and timing	360/73.03	360/51; 360/77.08		Shepherd; Stanley H. et al.	☐	☐	☐	☐	☐	☐
15	☑	☐	US 6754019 B2	20040622		System and method for implementing a rotary m	360/53	360/31; 360/49;		Tokizono; Akira et al.	☐	☐	☐	☐	☐	☐
16	☑	☐	US 6738205 B1	20040518		Self-writing of servo patterns in disk drives	360/17	360/75		Moran; Patrick et al.	☐	☐	☐	☐	☐	☐
17	☑	☐	US 6574611 B1	20030603		Information processing apparatus and method i	705/57	380/30; 713/187;		Matsuyama; Shinako et al.	☐	☐	☐	☐	☐	☐
18	☑	☐	US 6532122 B1	20030311		Data storage apparatus and magnetic recording	360/46	360/40; 360/65		Sugawara; Takao et al.	☐	☐	☐	☐	☐	☐
19	☑	☐	US 6519104 B1	20030211		Computer system comprising a host conne	360/51	360/46; 360/77.08		Cloke; Robert L. et al.	☐	☐	☐	☐	☐	☐
20	☑	☐	US 6515813 B2	20030204		Method for controlling servo information detec	360/51	360/73.03; 360/75;		Kitazaki; Nobuyuki et al.	☐	☐	☐	☐	☐	☐
21	☑	☐	US 6487032 B1	20021126		Computer system comprising a host conne	360/51	360/46; 360/65;		Cloke; Robert L. et al.	☐	☐	☐	☐	☐	☐
22	☑	☐	US 6470375 B1	20021022		System and method for managing the execution	718/105			Whitner; Richard B. et al.	☐	☐	☐	☐	☐	☐
23	☑	☐	US 6442730 B1	20020827		Recording medium failure analysis appara	714/795	369/47.27; 714/794		Schachner; Joseph M. et al.	☐	☐	☐	☐	☐	☐
24	☑	☐	US 6441981 B1	20020827		Disk drive including a recording surface emplo	360/51	360/48; 360/77.08		Cloke; Robert Leslie et al.	☐	☐	☐	☐	☐	☐
25	☑	☐	US 6411452 B1	20020625		Disk drive employing read error tolerant syn	360/51	360/77.08		Cloke; Robert Leslie	☐	☐	☐	☐	☐	☐
26	☑	☐	US 6381072 B1	20020430		Lenslet array systems and methods	359/622	359/621		Burger; Robert J.	☐	☐	☐	☐	☐	☐
27	☑	☐	US 6278568 B1	20010821		Disk drive employing read channel IC with co	360/51	360/46; 360/77.08		Cloke; Robert L. et al.	☐	☐	☐	☐	☐	☐
28	☑	☐	US 6262857 B1	20010717		Disk drive including a recording surface emplo	360/51	360/46; 360/48;		Hull; Richard William et al.	☐	☐	☐	☐	☐	☐
29	☑	☐	US 6178056 B1	20010123		Disk drive employing state variable trap reg	360/46	360/51; 360/65		Cloke; Robert Leslie et al.	☐	☐	☐	☐	☐	☐
30	☑	☐	US 6148323 A	20001114		System and method for managing the execution	718/105			Whitner; Richard B. et al.	☐	☐	☐	☐	☐	☐
31	☑	☐	US 6124974 A	20000926		Lenslet array systems and methods	359/621			Burger; Robert J.	☐	☐	☐	☐	☐	☐
32	☑	☐	US 6122131 A	20000919		Adaptively-controlled disk drive assembly	360/77.02	360/313; 360/77.08		Jeppson; David B.	☐	☐	☐	☐	☐	☐
33	☑	☐	US 6011868 A	20000104		Bitstream quality analyzer	382/233	375/228; 382/235		van den Branden; Christian J. et al	☐	☐	☐	☐	☐	☐
34	☑	☐	US 5973844 A	19991026		Lenslet array systems and methods	359/622	359/621		Burger; Robert J.	☐	☐	☐	☐	☐	☐
35	☑	☐	US 5477103 A	19951219		Sequence, timing and synchronization techniq	318/601	318/560; 318/603;		Romano; Paul M. et al.	☐	☐	☐	☐	☐	☐
36	☑	☐	US 5384671 A	19950124		PRML sampled data channel synchronous ser	360/51	360/49; 360/77.08;		Fisher; Kevin D.	☐	☐	☐	☐	☐	☐

His Details HTML

Ready

File View Edit Tools Window Help

- Drafts
- Pending
- Active
  - L1: (121522) disk adj1 drive
  - L2: (207) "servo address mark"
  - L3: (29440) sam
  - L4: (29501) 2 or 3
  - L5: (1119) 1 and 4
  - L6: (115) 1 same 4

DB: US-PGPUB;USPAT;EPO;JPO;IBM_TDB
Default operator: OR

1 same 4

#	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P			
1	☑	☐	US 20050013031	20050120	29	Systems for searching for SAM patterns at mul	360/51	360/29; 360/48		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
2	☑	☐	US 20050013030	20050120		Methods for searching for SAM patterns at mul	360/51			Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
3	☑	☐	US 20050013027	20050120		Methods for searching for SAM patterns using	360/29	360/48		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
4	☑	☐	US 20050013026	20050120		Servo demodulator systems including multi	360/29	360/48		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
5	☑	☐	US 20040267671	20041230		Data distribution system and method there	705/51			Nonaka, Akira et al.	☐	☐	☐	☐	☐	☐
6	☑	☐	US 20040257693	20041223		Disk drive disturbance rejection using acceler	360/77.02	360/73.03; 360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
7	☑	☐	US 20040257692	20041223		Method to reject disk drive disturbance	360/77.02	360/73.03; 360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
8	☑	☐	US 20040246833	20041209		Disk drive system model for determining a thres	369/44.29	369/47.36		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
9	☑	☐	US 20040246618	20041209		Apparatus to reject disk drive disturbance	360/77.02	360/73.03; 360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
10	☑	☐	US 20040246617	20041209		Disk drive disturbance rejection using spindle	360/77.02	360/73.03; 360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
11	☑	☐	US 20040221070	20041104		Interface for distributed processing	710/5			Ortega, William M. III et al.	☐	☐	☐	☐	☐	☐
12	☑	☐	US 20040218214	20041104		Data processing apparatus, data process	358/1.16	358/1.14; 713/193		Kihara, Nobuyuki et al.	☐	☐	☐	☐	☐	☐
13	☑	☐	US 20040125485	20040701		Methods for preventing channel control values	360/51	360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
14	☑	☐	US 20040125484	20040701		Methods for improving servo-demodulation robu	360/51			Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
15	☑	☐	US 20040125483	20040701		Systems for improving servo-demodulation robu	360/51	360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
16	☑	☐	US 20040125482	20040701		Methods for detecting multiple occurrences of	360/51	360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
17	☑	☐	US 20040125481	20040701		Systems for detecting multiple occurrences of	360/51	360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
18	☑	☐	US 20040125479	20040701		Systems for preventing channel control values	360/39	360/51; 360/77.08		Ehrlich, Richard M.	☐	☐	☐	☐	☐	☐
19	☑	☐	US 20040120068	20040624		Disk drive and method of detecting servo addr	360/75	360/61; 360/77.02;		Koyanagi, Takahiro	☐	☐	☐	☐	☐	☐
20			US 20040527	20040527		Head switching method	360/63	360/75		Kim, Jae-Woong						

Ready

File   View   Edit   Tools   Window   Help

Drafts

#	I	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P				
20	☑	□	US 20040100713	20040527		Head switching method and system using track	360/63	360/75		Kim, Jae-Hyeong	□	□	□	□	□	□
21	☑	□	US 20030217202	20031120		Method for improving performance of a flash-	710/22			Zilberman, Eugene et al.	□	□	□	□	□	□
22	☑	□	US 20030112539	20030619		Method of interleaving servo information field	360/48	360/77.04; 360/77.08		Shu, Andrew B.	□	□	□	□	□	□
23	☑	□	US 20030046238	20030306		Data processing apparatus, data process	705/51	380/282; 705/59;		Nonaka, Akira et al.	□	□	□	□	□	□
24	☑	□	US 20030030929	20030213		Circuit and method for detecting the phase of	360/46	360/78.04		Ozdemir, Hakan	□	□	□	□	□	□
25	☑	□	US 20030026016	20030206		Circuit and method for demodulating a servo po	360/29	360/77.08		Heydari, Fereidoon et al.	□	□	□	□	□	□
26	☑	□	US 20020150179	20021017		Synchronous detection of wide bi-phase coded	375/340			Leis, Michael D. et al.	□	□	□	□	□	□
27	☑	□	US 20020141105	20021003		Robust servo demodulation filtering	360/77.08			Ellis, Timothy Francis	□	□	□	□	□	□
28	☑	□	US 20020135915	20020926		Method and apparatus for generating the opti	360/51	360/62		Yun, Jong Yun et al.	□	□	□	□	□	□
29	☑	□	US 20020067563	20020606		Position sensing system for a disc drive using	360/53	360/48; 360/77.08;		Belser, Karl Arnold	□	□	□	□	□	□
30	☑	□	US 20020065994	20020530		Method of arbitrating requests for access to	711/151	711/105; 711/112		Henson, James A. et al.	□	□	□	□	□	□
31	☑	□	US 20020060871	20020523		Magnetic hard disk drive	360/48	360/72.1		Hamaguchi, Takehiko et al.	□	□	□	□	□	□
32	☑	□	US 20020042900	20020411		RECORDING MEDIUM FAILURE ANALYSIS APPARA	714/795			SCHACHNER, JOSEPH M. et al.	□	□	□	□	□	□
33	☑	□	US 20020003676	20020110		System and method for implementing a rotary m	360/53	360/31; 360/75;		Tokizono, Akira et al.	□	□	□	□	□	□
34	☑	□	US 20010021075	20010913		Method for controlling servo information detec	360/51	360/77.08		Kitazaki, Nobuyuki et al.	□	□	□	□	□	□
35	☑	□	US 6822818 B2	20041123		Magnetic hard disk drive	360/48	360/75; 360/77.08		Hamaguchi, Takehiko et al.	□	□	□	□	□	□
36	☑	□	US 6798594 B2	20040928		Position sensing system for a disc drive using	360/53	324/210; 324/212;		Belser, Karl Arnold	□	□	□	□	□	□
37	☑	□	US 6765748 B2	20040720		Method of interleaving servo information field	360/77.04	360/53; 360/77.05;		Shu, Andrew B.	□	□	□	□	□	□
38	☑	□	US 6760820 B2	20040706		Method of arbitrating requests for access to	711/151	710/240; 710/264;		Henson, James A. et al.	□	□	□	□	□	□
39	☑	□	US 6760172 B1	20040706		Magnetic disk drive	360/48	360/77.08; 360/78.14		Hamaguchi, Takehiko et al.	□	□	□	□	□	□
40	☑	□	US 6754025 B1	20040622		Disk drive spindle motor speed and timing	360/73.03	360/51; 360/77.08		Shepherd, Stanley H. et al.	□	□	□	□	□	□
41	☑	□	US 6754019 B2	20040622		System and method for implementing a rotary m	360/53	360/31; 360/49;		Tokizono, Akira et al.	□	□	□	□	□	□
42	☑	□	US 6738205 B1	20040518		Self-writing of servo patterns in disk drives	360/17	360/75		Moran, Patrick et al.	□	□	□	□	□	□
43	☑	□	US 6724553 B2	20040420		Method and apparatus for generating the opti	360/51	360/31		Yun, Jong Yun et al.	□	□	□	□	□	□
44	☑	□	US 6721820	20040413		Method for improving	710/22	710/23;		Zilberman, Eugene	□	□	□	□	□	□

Ready

Hits   Details   HTML

NUM

File View Edit Tools Window Help

Drafts

	U	I	Document ID	Issue Dat	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P		9	
45	☑	☐	US 6704156 B1	20040309		Self-writing of servo patterns in a disk driv	360/75			Baker; Bill et al.	☐	☐	☐	☐	☐	
46	☑	☐	US 6691149 B1	20040210		System for distributing music data files betwee	709/201	707/10; 707/104.1;		Yokota; Teppei et al.	☐	☐	☐	☐	☐	
47	☑	☐	US 6678110 B2	20040113		Robust servo demodulation filtering	360/77.08	360/29; 360/30;		Ellis; Timothy Francis	☐	☐	☐	☐	☐	
48	☑	☐	US 6646822 B1	20031111		Sampled amplitude read channel employing pipel	360/46	360/51; 360/65;		Tuttle; Tyson et al.	☐	☐	☐	☐	☐	
49	☑	☐	US 6590728 B1	20030708		Hard disk having extended data region	360/48	360/77.08; 360/78.14		Yang; Min-Kwan	☐	☐	☐	☐	☐	
50	☑	☐	US 6574611 B1	20030603		Information processing apparatus and method, i	705/57	380/30; 713/187;		Matsuyama; Shinako et al.	☐	☐	☐	☐	☐	
51	☑	☐	US 6519104 B1	20030211		Computer system comprising a host conne	360/51	360/46; 360/77.08		Cloke; Robert L. et al.	☐	☐	☐	☐	☐	
52	☑	☐	US 6515813 B2	20030204		Method for controlling servo information detec	360/51	360/73.03; 360/75;		Kitazaki; Nobuyuki et al.	☐	☐	☐	☐	☐	
53	☑	☐	US 6487032 B1	20021126		Computer system comprising a host conne	360/51	360/46; 360/65;		Cloke; Robert L. et al.	☐	☐	☐	☐	☐	
54	☑	☐	US 6452990 B1	20020917		Synchronous detection of wide bi-phase coded	375/361	360/27; 369/43;		Leis; Michael D. et al.	☐	☐	☐	☐	☐	
55	☑	☐	US 6442730 B1	20020827		Recording medium failure analysis appara	714/795	369/47.27; 714/794		Schachner; Joseph M. et al.	☐	☐	☐	☐	☐	
56	☑	☐	US 6441981 B1	20020827		Disk drive including a recording surface emplo	360/51	360/48; 360/77.08		Cloke; Robert Leslie et al.	☐	☐	☐	☐	☐	
57	☑	☐	US 6411452 B1	20020625		Disk drive employing read error tolerant syn	360/51	360/77.08		Cloke; Robert Leslie	☐	☐	☐	☐	☐	
58	☑	☐	US 6304407 B1	20011016		Self-writing of servo patterns based on print	360/75	360/17		Baker; Bill et al.	☐	☐	☐	☐	☐	
59	☑	☐	US 6297926 B1	20011002		Device and method for compensating for interh	360/77.04			Ahn; Young-Sub	☐	☐	☐	☐	☐	
60	☑	☐	US 6297925 B1	20011002		Method for eliminating wiggle of magnetic head	360/75	360/53; 360/63		Lee; Jae-sung	☐	☐	☐	☐	☐	
61	☑	☐	US 6278568 B1	20010821		Disk drive employing read channel IC with co	360/51	360/46; 360/77.08		Cloke; Robert L. et al.	☐	☐	☐	☐	☐	
62	☑	☐	US 6271989 B1	20010807		Method for inserting a removable disk cartridg	360/99.06			Tannert; Hans K.	☐	☐	☐	☐	☐	
63	☑	☐	US 6262857 B1	20010717		Disk drive including a recording surface emplo	360/51	360/46; 360/48;		Hull; Richard William et al.	☐	☐	☐	☐	☐	
64	☑	☐	US 6222696 B1	20010424		Head unlatch controlling method and	360/75	360/256.3; 360/78.07		Kim; Gwan-Il	☐	☐	☐	☐	☐	
65	☑	☐	US 6178056 B1	20010123		Disk drive employing state variable trap reg	360/46	360/51; 360/65		Cloke; Robert Leslie et al.	☐	☐	☐	☐	☐	
66	☑	☐	US 6172836 B1	20010109		Method and apparatus for writing the servo p	360/75	360/77.08		Bang; Ho-Yul	☐	☐	☐	☐	☐	
67	☑	☐	US 6128154 A	20001003		Servo control method for a high capacity har	360/77.08	360/78.06; 360/78.08;		Bang; Ho-Yul	☐	☐	☐	☐	☐	
68	☑	☐	US 6122131 A	20000919		Adaptively-controlled disk drive assembly	360/77.02	360/313; 360/77.08		Jeppson; David B.	☐	☐	☐	☐	☐	
69	☑	☐	US 6118607 A	20000912		Method for and	360/53	360/46		Jung; Kwang-Jo	☐	☐	☐	☐	☐	

Ready Delete HTML

Ready   NUM

U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P			
70	☑	☐	US 6115199 A	20000905		Circuit for preventing servo sector from being	360/51			Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
71	☑	☐	US 6108151 A	20000822		Sampled amplitude read channel for reading use	360/51	360/61; 360/75		Tuttle; Tyson et al.	☐	☐	☐	☐	☐	☐
72	☑	☐	US 6094320 A	20000725		Device and method for compensating for interh	360/77.04			Ahn; Young-Sub	☐	☐	☐	☐	☐	☐
73		☑	☐	US 6094318 A	20000725	Method and apparatus for controlling data wr	360/60	360/46		Kim; Gwan-Il	☐	☐	☐	☐	☐	☐
74	☑	☐	US 6061200 A	20000509		In-drive correction of servo pattern errors	360/77.04	360/77.08; 360/78.09;		Shepherd; Stanley H. et al.	☐	☐	☐	☐	☐	☐
75	☑	☐	US 6038097 A	20000314		Method and apparatus for providing positiona	360/78.14	360/77.08		Le; Me Van et al.	☐	☐	☐	☐	☐	☐
76	☑	☐	US 6021012 A	20000201		Automatic servo address mark detection and serv	360/51	360/53		Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
77	☑	☐	US 6005739 A	19991221		Technique for controlling the positio	360/77.04	360/77.02		Yun; Jong-Yun	☐	☐	☐	☐	☐	☐
78	☑	☐	US 6005728 A	19991221		Disk recording medium for embodying high capa	360/49	360/135; 360/48;		Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
79	☑	☐	US 5982308 A	19991109		Technique for compensation for missin	341/96	360/51		Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
80	☑	☐	US 5974496 A	19991026		System for transferring diverse data objects be	710/315	709/250; 710/36;		Miller; Steven M.	☐	☐	☐	☐	☐	☐
81	☑	☐	US 5966258 A	19991012		Asynchronous/synchronou s digital gain control	360/46	360/67		Bliss; William G.	☐	☐	☐	☐	☐	☐
82	☑	☐	US 5963387 A	19991005		Method for forming and processing data address	360/49	360/48; 360/53		Son; Ok-Hyun	☐	☐	☐	☐	☐	☐
83	☑	☐	US 5926333 A	19990720		Technique for generating sector pulse	360/51	360/77.08; 713/500		Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
84	☑	☐	US 5862005 A	19990119		Synchronous detection of wide bi-phase coded	360/27	360/29; 360/42		Leis; Michael D. et al.	☐	☐	☐	☐	☐	☐
85	☑	☐	US 5825568 A	19981020		Servo address mark detection compensating	360/51			Lee; Kwang-Heui	☐	☐	☐	☐	☐	☐
86	☑	☐	US 5822162 A	19981013		Removable cartridge disk drive utilizing a	360/133			Tannert; Hans K.	☐	☐	☐	☐	☐	☐
87	☑	☐	US 5798883 A	19980825		Method for servo defect management of a magneti	360/31	360/53; 360/75;		Kim; Hack-Bin	☐	☐	☐	☐	☐	☐
88	☑	☐	US 5796690 A	19980818		Disc controller with improved data sync and	369/47.18	369/124.07		Kanno; Naotaka	☐	☐	☐	☐	☐	☐
89	☑	☐	US 5796543 A	19980818		Data track pattern including embedded serv	360/77.08	360/48		Ton-That; Luan	☐	☐	☐	☐	☐	☐
90	☑	☐	US 5796535 A	19980818		Sampled amplitude read channel employing a use	360/51	360/61		Tuttle; Tyson et al.	☐	☐	☐	☐	☐	☐
91	☑	☐	US 5793559 A	19980811		In drive correction of servo pattern errors	360/78.09	360/77.04		Shepherd; Stanley H. et al.	☐	☐	☐	☐	☐	☐
92	☑	☐	US 5771131 A	19980623		Tracking in hard disk drive using magnetoresi	360/77.08	360/75		Pirzadeh; Sean	☐	☐	☐	☐	☐	☐
93	☑	☐	US 5706265 A	19980106		Spindle motor driving control circuit of disk	369/47.48	360/73.03		Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
94	☑	☐	US 5661760 A	19970826		Wide biphase digital	375/341	360/48;		Patapoutian; Ara	☐	☐	☐	☐	☐	☐

File   View   Edit   Tools   Window   Help

Drafts

#	U	I	Document ID	Issue Date	Pages	Title	Current OR	Current XR	Retrieval	Inventor	S	C	P		9		
92	☑	☐	US 5771131 A	19980623		Tracking in hard disk drive using magnetoresi	360/77.08	360/75		Pirzadeh; Sean	☐	☐	☐	☐	☐	☐
93	☑	☐	US 5706265 A	19980106		Spindle motor driving control circuit of disk	369/47.48	360/73.03		Bang; Ho-Yul	☐	☐	☐	☐	☐	☐
94	☑	☐	US 5661760 A	19970826		Wide biphase digital servo information detec	375/341	360/48; 360/77.08;		Patapoutian; Ara et al.	☐	☐	☐	☐	☐	☐
95	☑	☐	US 5587850 A	19961224		Data track pattern including embedded serv	360/77.08	360/77.06		Ton-that; Luan	☐	☐	☐	☐	☐	☐
96	☑	☐	US 5586306 A	19961217		Integrated circuit servo system control fo	711/112	360/77.08; 360/78.04;		Romano; Paul M. et al.	☐	☐	☐	☐	☐	☐
97	☑	☐	US 5576906 A	19961119		Synchronous detection of concurrent servo bur	360/77.08	360/46; 360/51		Fisher; Kevin D. et al.	☐	☐	☐	☐	☐	☐
98	☑	☐	US 5553086 A	19960903		Multiple servo sector sets write with self-ve	714/798	360/69; 360/75		Sompel; Mark A. et al.	☐	☐	☐	☐	☐	☐
99	☑	☐	US 5544135 A	19960806		Fault tolerant servo address mark for disk d	369/30.12	360/46		Akin, Jr.; William R. et al.	☐	☐	☐	☐	☐	☐
100	☑	☐	US 5535072 A	19960709		Removable cartridge disk drive with cartrid	360/99.06	360/99.02; 360/99.09		Witt; William F. et al.	☐	☐	☐	☐	☐	☐
101	☑	☐	US 5517631 A	19960514		Miniature disk drive having embedded sector	711/111	360/77.02; 360/77.08;		Machado; Michael G. et al.	☐	☐	☐	☐	☐	☐
102	☑	☐	US 5477103 A	19951219		Sequence, timing and synchronization techniq	318/601	318/560; 318/603;		Romano; Paul M. et al.	☐	☐	☐	☐	☐	☐
103	☑	☐	US 5420730 A	19950530		Servo data recovery circuit for disk drive	360/77.08	360/51; 360/78.14		Moon; Ronald R. et al.	☐	☐	☐	☐	☐	☐
104	☑	☐	US 5398141 A	19950314		Removable cartridge disk drive with a 2.5 i	360/133			Tannert; Hans K.	☐	☐	☐	☐	☐	☐
105	☑	☐	US 5384671 A	19950124		PRML sampled data channel synchronous ser	360/51	360/49; 360/77.08;		Fisher; Kevin D.	☐	☐	☐	☐	☐	☐
106	☑	☐	US 5362993 A	19941108		Weighted average servo burst peak detector for	327/94	327/58; 327/91;		Aubry; Laurent	☐	☐	☐	☐	☐	☐
107	☑	☐	US 5317464 A	19940531		Removable cartridge disk drive with cartrid	360/99.08			Witt; William F. et al.	☐	☐	☐	☐	☐	☐
108	☑	☐	US 5262918 A	19931116		Removable cartridge with a 2.5 inch form fa	360/133			Tannert; Hans K.	☐	☐	☐	☐	☐	☐
109	☑	☐	US 5255136 A	19931019		High capacity submicro-winchester fix	360/77.02	360/77.05; 360/77.08		Machado; Michael G. et al.	☐	☐	☐	☐	☐	☐
110	☑	☐	US 5204793 A	19930420		Removable cartridge disk drive with an inte	360/97.01	360/133; 360/254.7;		Plonczak; Garold	☐	☐	☐	☐	☐	☐
111	☑	☐	US 5170299 A	19921208		Edge servo for disk drive head positioner	360/77.08	360/51; 360/78.04;		Moon; Ronald R.	☐	☐	☐	☐	☐	☐
112	☑	☐	WO 9906992 A1	19990211		METHOD AND APPARATUS FOR INCREASING THE SAMP				ZAHARRIS, DANIEL R	☐	☐	☐	☐	☐	☐
113	☑	☐	DE 19736255 A1	19980416		Gray-code decoder compensation circuit				BANG, HO-YUL	☐	☐	☐	☐	☐	☐
114	☑	☐	WO 9300676 A2	19930107		SERVO ADDRESS MARK FOR EMBEDDED SERVO DISK DRI				RICE, MARK S et al.	☐	☐	☐	☐	☐	☐
115	☑	☐	EP 517478 A2	19921209		Servo data recovery circuit for disk drive				MOON, RONALD R et al.	☐	☐	☐	☐	☐	☐

His   Details   HTML

Ready